

Classic SleepSafe

DEALER INFORMATION



LOW BED



No Room to Burrow

The *SleepSafe* precision-fit custom mattress fits tightly within the bed frame. Even with aggressive compression, it is virtually impossible to burrow deeply enough to create an entrapment issue or safety hazard.

Premium Memory Foam Mattress

MASON MEDICAL SERIES 1100 SHEARCARE™ PRESSURE REDUCING MATTRESS.

This technically advanced mattress provides remarkable day-long comfort and support. Covered in fluid-resistant, anti-microbial/anti-bacterial, fire-retardant stretch Nylon fabric, the mattress provides four unique comfort zones for support and pressure relief. The top level is all-virgin *Memory-III™ Visco Elastic* memory-foam that contours to the body. For complete technical and construction details, visit our web site: www.SleepSafeBed.com.



Easy-access Safety Rails

Safety rails on the Classic *SleepSafe* bed extend 8.5 to 16.5 inches above the mattress, depending on foundation choice. They can be quickly rotated out of the way to provide immediate access, and are also easily removed. If additional safety rail height is required, specify either our medium (*SleepSafe II*) or high (*SleepSafer*) model bed.

Foundation Choices

FIXED – The mattress rests on a fixed foundation, which can be either a box spring or bunkie board, depending on your preference.

ARTICULATED (semi-electric) – The mattress rests on a foundation that has both head and feet articulation, with motor-controlled movement conveniently operated by wired remote control.

ARTICULATED and HI-LO (fully electric) – The mattress rests on a foundation that has both head and feet articulation, and is also height adjustable. The mattress can be adjusted from 22 to 38 inches from the floor, with all movement motor-controlled, operated electrically by wired remote control.

All foundations are designed to support up to 350 pounds.

Easily Moved

Locking casters provide excellent mobility.

Available in TWIN or FULL

The Classic SleepSafe-Low Bed is available in:

TWIN – 38 inch wide by 77 inch long mattress, or

FULL – 52 inch wide by 77 inch long mattress.

Maximum Safety

SleepSafe beds are a proven, ultra-safe solution for virtually eliminating entrapment and falls. Unique in the industry, these beds meet or exceed FDA guidelines on the **7 Zones of Entrapment**.

Unexpected Style

A bedroom isn't a hospital room—and it shouldn't look like one. The stylish **SleepSafe** beds set new standards for attractiveness and safety.



○ Safety Rail Windows

Clear non-breakable windows in both Safety Rails provide visibility for both the occupant and caregiver when the need to see or be seen is important.



Optional Accessories

CUSTOM FIT PADDING – Available for one or all sides for protection from contact with the bed frame. 3/4 inch high-density foam encapsulated in easily-cleaned and waterproof PVC coated nylon.

IV ATTACHMENT – A 36 inch tall stainless steel pole with two Ram hooks that attaches securely to the headboard.

HEADBOARD/FOOTBOARD WINDOWS – Attractive non-breakable windows are available for both the headboard and/or footboard for increased visibility.



○ Wood Choices

Beds are constructed of wood, with choices including:

OAK – Extra-hard and highly durable. Typically highlights a natural wood grain.

MAPLE – Lighter colored, more contemporary hardwood. Shows very little grain pattern.

CHERRY – A rich hardwood often selected for its distinctive combination of beauty and durability.

Patented Design

SleepSafe beds are recognized as the ideal choice for children or adults with cognitive or physical disabilities. Our user-friendly safety system with releasable guard rail assembly holds a US Patent number 6,453,491.

Specifications: Classic SleepSafe® Low Bed

Safety Rail Height (Above Mattress)	
Fixed Foundation	
with Box Spring (2 Attachment Positions)	8.5" or 12.5"
with Bunkie Board (2 Attachment Positions)	12.5" or 16.5"
Articulated Foundation (2 Attachment Positions)	8.5" or 12.5"
Articulated <i>and</i> HiLo	14" maximum
Mattress Height (Surface to Floor)	
Fixed Foundation	
with Box Spring (2 Attachment Positions)	23.5" or 27.5"
with Bunkie Board (2 Attachment Positions)	19.5" or 23.5"
Articulated Foundation	23.5" or 27.5"
Articulated <i>and</i> HiLo22" to 38"
Overall Outside dimensions (width, length and height)	
Twin42"W x 80"L x 33"H
Full56"W x 80"L x 33"H
Mattress Size	
Twin	38"W x 77"L
Full	52"W x 77"L
Floor Clearance75"
Transfer Height (From Floor to Top of Side Panel)	22"

Ordering the Correct Bed

It's easy to specify the most appropriate **SleepSafe** bed for your customer—mark your choices below:

- Safety Rail Height: LOW
- Foundation: BASIC with Box Spring BASIC with Bunkie Board
 ARTICULATED ARTICULATED *and* HI-LO
- Bed Size: TWIN FULL
- Wood Choices: OAK MAPLE CHERRY
- Accessories: PADDING IV ATTACHMENT
 HEADBOARD WINDOW FOOTBOARD WINDOW

All **SleepSafe** beds include: Bed enclosure; Premium *Mason Medical* Pressure-Relieving mattress; Foundation; Casters; Shipping within the continental US; Assembly instructions; Tools necessary to assemble the bed; Manufacturer's Warranty.

DEALER REGISTRATION

Apply online at www.SleepSafeBed.com to become an authorized dealer; receive your personal pin number to access exclusive dealer information, including downloadable assembly instructions, pricing, warranty information and user manual, in addition to the ability to quote and order online.



3135 Dillons Mill Road • Callaway, VA 24067
Toll Free • 866.852.2337 Phone • 540.334.1600 Fax • 540.334.2100
sleepsafebed@sleepsafebed.com • www.sleepsafebed.com